

# PAST EXAM PAPERS & MEMOS FOR ENGINEERING STUDIES N1-N6

THANK YOU FOR DOWNLOADING THE PAST EXAM PAPER, WE HOPE IT WILL BE OF HELP TO YOU. AT THE MOMENT WE **DO NOT HAVE MEMO FOR THE PAPER** BUT KEEP CHECKING OUT WEBSITE AND ONCE AVAILABLE WE WILL ADD IT FOR YOU.

## ARE YOU IN NEED OF MORE PAPERS

You might be in need of **more question papers** and answers (memos) as you prepare for your final exams. We have a FULL SINGLE DOWNLOAD in pdf of papers between **2014-2019**. **ALL THE PAPERS HAVE ANSWERS (MEMOS)**. We sell these at a **very discounted price** of **R299.00** per subject. Visit our website <https://previouspapers.co.za/shop/> to purchase a full download. Once you purchase, you get instant download and access. The online payment is also safe and we use [payfast](#) as it is used by all the banks in South Africa.

## PRICE OF THE PAPERS AT A BIG DISCOUNT

Previous papers are very important in ensuring you pass your final exams. The **actual value** of the papers access is way more than **R1 000** but we are making you access these for a small fee of **R299.00**. The small fee helps to maintain the website.

## BONUS PAPERS

We are also **adding bonus papers for free** which are papers between 2008-2011. These papers are very valuable as examiners usually repeat questions from old papers time and again. You get access to bonus papers after purchasing your paper.

## MORE FREE PAPERS

[Click here](#) to access more **FREE PAPERS**.



# higher education & training

---

Department:  
Higher Education and Training  
**REPUBLIC OF SOUTH AFRICA**

## **NATIONAL CERTIFICATE**

### **MATHEMATICS N2**

(16030192)

**31 March 2020 (X-paper)**

**09:00–12:00**

**REQUIREMENTS:** 2 sheets of graph paper (BOE 8/9)

**Calculators may be used.**

**This question paper consists of 7 pages and a formula sheet of 2 pages.**

034Q1A2031

**DEPARTMENT OF HIGHER EDUCATION AND TRAINING**  
**REPUBLIC OF SOUTH AFRICA**  
NATIONAL CERTIFICATE  
MATHEMATICS N2  
TIME: 3 HOURS  
MARKS: 100

---

**INSTRUCTIONS AND INFORMATION**

1. Answer all the questions.
  2. Read all the questions carefully.
  3. Number the answers according to the numbering system used in this question paper.
  4. Show all intermediate steps and simplify where possible.
  5. Use only blue or black ink.
  6. Write neatly and legibly.
-

**QUESTION 1**

1.1 Simplify the following WITHOUT using a calculator:

$$1.1.1 \quad \left[ \sqrt{\frac{23x^9}{46x^{-2}}} \right]^0 \quad (1)$$

$$1.1.2 \quad \log_{\sqrt{x}} \sqrt{x} \quad (1)$$

$$1.1.3 \quad \frac{\sqrt[3]{64p^{30}q^{36}}}{2p^{-2}q^{-5}} \quad (3)$$

$$1.1.4 \quad \frac{\log 9 - \log 4}{\log 81 - \log 16} \quad (3)$$

1.2 Solve for  $x$  in the following equations:

$$1.2.1 \quad \frac{16^{x+2}}{64^{2x+1}} = 256 \quad (4)$$

$$1.2.2 \quad \frac{1}{2} \log_7 \frac{1}{49} = x \quad (3)$$

**[15]**

**QUESTION 2**

2.1 Given the following algebraic expressions:

$$a^2 - 6ab + 9b^2$$

$$a^2 - 9b^2$$

$$a^2 - 3ab$$

$$3a^2 - 6ab - 9b^2$$

2.1.1 Fully factorise each expression (8)

2.1.2 Determine the LCM of all four expressions. (4)

2.2 Simplify the following algebraic fractions:

$$2.2.1 \quad \frac{5x^2 + 6x - 8}{3x + 6} \div \frac{50x^2 - 32}{3x^2 - 12} \times \frac{2}{x - 2} \quad (4)$$

$$2.2.2 \quad \frac{3}{3 - x} - \frac{x}{6 + x - x^2} \quad (4)$$

**[20]**

**QUESTION 3**

3.1 Solve for  $q$  given that

$$-2 = \sqrt{3-4q} \quad (2)$$

3.2 Solve for  $x$  by using the quadratic formula:

$$x^2 - 4x = 2. \text{ The final answer must be rounded off to THREE decimal places} \quad (3)$$

3.3 Five pears and two apples cost R16,50 while three pears and four apples cost R18,50.

What is the cost of one pear and one apple? (4)

3.4 Given  $A = \pi(R^2 - r^2)$

Make  $r$  the subject of the formula (3)

3.5 Given  $D = h + \frac{x^2}{4h}$

Make  $x$  the subject of the formula (3)



**[15]**

**QUESTION 4**

4.1 KFC intends to start selling milkshake in a crispy conical-shaped cup with a surface area of  $315\text{cm}^2$  and a slant height of 15cm.

Calculate each of the following:

4.1.1 Radius of the cup (3)

4.1.2 Perpendicular height of the cup (2)

4.1.3 Quantity of milkshake that will fill the cup (2)

4.2 The coordinates of the points on a curve are given in the table below.



Calculate the area of the irregular shape

|     |   |    |    |    |    |    |    |    |
|-----|---|----|----|----|----|----|----|----|
| $x$ | 0 | 3  | 6  | 9  | 12 | 15 | 18 | 21 |
| $y$ | 5 | 10 | 60 | 70 | 40 | 20 | 12 | 6  |

(3)

4.3 Given the functions  $f : 3x + y = 6$  and  $g : \frac{x}{3} - \frac{y}{2} = 1$

4.3.1 Draw (ON GRAPH PAPER) the functions  $f$  and  $g$  on the same system of axes clearly indicating the intercept with the axes. (4)

4.3.2 Provide the coordinates of the point of intersection between the graphs drawn in QUESTION 4.3.1 (1)

4.4 The graphs  $f : y = 3x^2 - 6x - 9$  and  $g : \frac{x}{-3} - \frac{y}{6} = 1$  are shown in FIGURE 1 below.




FIGURE 1

Determine each of the following coordinates:

4.4.1 A and B ( $x$ -intercepts of  $f$ ) (2)

4.4.2 C ( $y$ -intercepts of  $f$ ) (1)

4.4.3 D (turning point of  $f$ ) (2)

4.4.4 E ( $x$ -intercepts of  $g$ ) (1)

4.4.5 F ( $y$ -intercepts of  $g$ ) (1)

[22]

**QUESTION 5**

5.1 Convert  $78,3^\circ$  to degrees and minutes. (1)

5.2 Determine the following without using a calculator, if  $\sec\alpha = -\frac{13}{12}$  where  $90^\circ \leq \alpha \leq 180^\circ$




5.2.1  $1 - \cot\alpha$  (3)

5.2.2  $\sin^2\alpha + \cos^2\alpha$  (2)

5.3 From the point on the ground where a policeman is standing (P), the angle of elevation to two criminals at the third (X) and sixth (Y) floors of a tall building is  $21^\circ$  and  $39^\circ$  respectively.

If the policeman is 18 m from the foot of the building (B), how far apart are the two criminals (XY)?



**FIGURE 2**

(5)

5.4 Given the function  $y = \sin x - 2$  for  $0^\circ \leq x \leq 180^\circ$



5.4.1 Draw the graph on its own system of axes on the graph paper. (3)

5.4.2 Read from the graph the value(s) of  $x$  for which  $y = -\frac{3}{2}$ . (2)

**[16]**

**QUESTION 6**


6.1 Convert 7,555 radians to degrees. (1)

6.2 The peripheral velocity of a wheel with a diameter of  $\frac{3}{4}$  m is 5 m/s.

Determine the following:

6.2.1 The number of revolutions completed per second (2)

6.2.2 The number of revolutions completed per minute (1)

6.3 A sector is cut off from a circle with a diameter of 14cm. 

Calculate the area of the sector in  $\text{cm}^2$  if it subtends an angle of  $75^\circ$  at the centre of the circle. (4)

6.4 The length of a chord in a circle is 6 cm and the diameter of the circle is 9 cm

Calculate the height of the minor segment and major segment of the circle. (4)  
[12]

**TOTAL: 100**



**MATHEMATICS N2****INFORMATION SHEET**

Any applicable formulae not found on this formula sheet may also be used

**Right cone**

$$\text{Volume} = \frac{1}{3} \pi r^2 h$$

$$\begin{aligned} \text{Surface area} &= \pi r \sqrt{h^2 + r^2} + \pi r^2 \\ &= \pi r l + \pi r^2 \end{aligned}$$

**Cylinder**

$$\text{Volume} = \pi r^2 h$$

$$\text{Surface area} = 2\pi r^2 + 2\pi r h$$

**Sphere**

$$\text{Volume} = \frac{4}{3} \pi r^3$$

$$\text{Area} = 4\pi r^2$$

**Right pyramid**

$$\text{Volume} = \frac{1}{3} (\text{area of base}) \times (\text{perpendicular height})$$

**Prism**

$$\text{Volume} = (\text{area of base}) \times (\text{perpendicular height})$$

**Degrees and radians**

$$180^\circ = \pi \text{ rad}$$

$$\text{Sector: } \theta = \frac{\text{arc}}{\text{radius}}; A = \frac{1}{2} r^2 \theta$$

**Angular velocity and circumferential velocity**

$$\text{Angular velocity: } \omega = 2\pi n$$

$$\text{Circumferential velocity: } v = \pi D n$$

$n$  = rotation frequency (r/s = revolution per second)

**Midordinate rule**

$$\text{Area} = (\text{distance between ordinates}) \times (\text{sum of other midordinates})$$

$$\text{Area} = \left[ \frac{(\text{First ordinate} + \text{Last ordinate})}{2} + \text{Sum of all other ordinates} \right] \times \text{The distance between the ordinates}$$

**Graphs**

Straight line:  $y = mx + c$

Parabola:  $y = ax^2 + bx + c$

Axis of symmetry:  $x = \frac{-b}{2a}$

Roots:  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

**Trigonometry**

$90^\circ < \theta < 180^\circ$

$$\sin \theta = \sin(180^\circ - \theta)$$

$$\cos \theta = -\cos(180^\circ - \theta)$$

$$\tan \theta = -\tan(180^\circ - \theta)$$

**Segment of circles**

Chord length =  $x$

Height of the segment =  $h$

Diameter of circle =  $D$

$$D = h + \frac{x^2}{4h}$$

**Regular polygons**

Angle subtended at centre of circumscribed circle by one side:

$$\theta = \frac{360^\circ}{\text{number of sides}}$$

$R$  = radius of circumscribed by circle

$x$  = length of the side

$$x = 2R \sin\left(\frac{\theta}{2}\right)$$

**Annulus:**  $A = \pi(R^2 - r^2)$